



GUIA DE LUBRICACIÓN

MODELO	NORMA REQUERIDA	LUBRICANTE SHELL
 KONA	ACEA C2/C5	 HELIX ULTRA ECT 0W-30
 IONIQ HYBRID	ACEA A5	 HELIX ULTRA PRO AF 5W-30
 VELOSTER (Motor 2.0 / Motor 1.6 T-DGI)	ACEA A5 (o Sup). 5W-30 API SM ILSAC GF4 (o Sup)	 HELIX ULTRA PRO AF 5W-30
 VELOSTER N	0W-30 ACEA C2	 HELIX ULTRA ECT 0W-30





GUIA DE LUBRICACIÓN

MODELO	NORMA REQUERIDA	LUBRICANTE SHELL
 GRAND I10	API SM. ILSAC GF3, GF4 O Sup.	 HELIX ULTRA PLUS 5W-40
 CRETA	ACEA A5	 HELIX ULTRA PRO AF 5W-30
 NEW CRETA	SAE 0W-20 API SN PLUS/SP, ILSAC GF-6	 HELIX ULTRA SP 0W-20
 TUCSON (NAFTA Motor 2.0/1.6 T-GDI)	5W-30 API SM. ACEA A5. ILSAC GF4 o Sup.	 HELIX ULTRA PRO AF 5W-30





GUIA DE LUBRICACIÓN

MODELO	NORMA REQUERIDA	LUBRICANTE SHELL
 TUCSON (DIESEL)	ACEA C2	 HELIX ULTRA ECT 0W-30
 SANTA FE (NAFTA)	API SM 5W-30, ACEA A5. ILSAC GF4 O Sup.	 HELIX ULTRA PRO AF 5W-30
 SANTA FE (DIESEL)	ACEA B4 s/ filtro de partículas	 HELIX ULTRA PLUS 5W-40
 NEW SANTA FE (NAFTA)	API SM 5W-30, ACEA A5. ILSAC GF4 O Sup.	 HELIX ULTRA PRO AF 5W-30





GUIA DE LUBRICACIÓN

MODELO	NORMA REQUERIDA	LUBRICANTE SHELL
 NEW SANTA FE (DIESEL)	0W-30 ACEA C2/C3	 HELIX ULTRA ECT 0W-30
 GRAND SANTA FE (NAFTA)	API SM 5W-30, ACEA A5. ILSAC GF4 O Sup.	 HELIX ULTRA PRO AF 5W-30
 GRAND SANTA FE (DIESEL)	ACEA B4	 HELIX ULTRA PLUS 5W-40
 GRAND SANTA FE (DIESEL)	0W-30 ACEA C2/C3 c/ filtro de partículas	 HELIX ULTRA ECT 0W-30





GUIA DE LUBRICACIÓN

MODELO	NORMA REQUERIDA	LUBRICANTE SHELL
 H1 (NAFTA)	API SL, SM o Sup. ILSAC GF3; GF4 o Sup	 HELIX ULTRA PLUS 5W-40
 H1 (DIESEL)	ACEA B4	 HELIX ULTRA PLUS 5W-40
 NEW H1 (DIESEL)	0W-30 ACEA C3	 HELIX ULTRA ECT 0W-30
 STARIA	ACEA C2/C3	 HELIX ULTRA ECT C2C3 0W-30

STARIA



**Shell
HELIX**



HYUNDAI



GUIA DE LUBRICACIÓN

MODELO	NORMA REQUERIDA	LUBRICANTE SHELL
 H-100	ACEA B4	 HELIX ULTRA PLUS 5W-40
 HD-78	EURO 3. API CI 4	 RIMULA R 4 X 15W-40
 HD-65	EURO IV. API CJ4	 RIMULA R 6 LM 10W-40
 H350	0W-30 ACEA C3	 HELIX ULTRA ECT 0W-30

